

# Vierkant- und Rechteckrohre

## Vierkantrohre HL 6 m



**Norm:** ähnlich DIN EN 10305 (vormals ähnlich DIN 2395)

**Abnahmen/Zeugnisse:** EN 10204/3.1B

**Werkstoff-Nr.:** 1.4301 / 1.4571 / 1.4404 + Sonderwerkstoffe


Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
10x10	1,00	0,313
15x15	1,00	0,453
	1,20	0,536
	1,50	0,661
20x20	1,00	0,611
	1,20	0,724
	1,50	0,890
	2,00	1,159
25x25	1,00	0,771
	1,20	0,917
	1,50	1,129
	2,00	1,475
	3,00	2,178
30x30	1,00	0,931
	1,20	1,108
	1,50	1,371
	2,00	1,795
	2,50	2,203
35x35	1,00	1,081
	1,20	1,302
	1,50	1,612
	2,00	2,115
	3,00	3,124
40x40	1,00	1,251
	1,20	1,494
	1,50	1,852
	2,00	2,434
	2,50	3,003
	3,00	3,562
45x45	1,50	2,090
	2,00	2,756
	3,00	4,040
	4,00	4,737
50x50	1,50	2,332
	2,00	3,078
	2,50	3,806
	3,00	4,533
	4,00	5,997

Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
50x50	5,00	7,324
60x60	1,50	2,798
	2,50	4,612
	3,00	5,494
	4,00	7,267
	5,00	9,048
	70x70	2,00
	3,00	6,494
	80x80	2,00
	2,50	6,268
	3,00	7,484
	4,00	9,878
	5,00	12,348
	6,00	14,410
100x100	2,00	6,400
	3,00	9,525
	4,00	12,600
	5,00	15,624
	6,00	17,760
	8,00	22,500
	10,00	25,600
	120x120	2,00
	3,00	11,184
	4,00	14,784
	5,00	18,000
	6,00	21,600
150x150	8,00	26,620
	3,00	14,064
	4,00	18,624
	5,00	22,800
	6,00	27,360
	8,00	34,300
	10,00	41,864
	200x200	3,00
	4,00	25,024
	5,00	30,800
	6,00	36,960
	8,00	47,100
	10,00	57,600

Andere Abmessungen oder Werkstoffe auf Anfrage.

# Vierkant- und Rechteckrohre

## Rechteckrohre HL 6 m



**Norm:** ähnlich DIN EN 10305 (vormals ähnlich DIN 2395)

**Abnahmen/Zeugnisse:** EN 10204/3.1B


**Werkstoff-Nr.:** 1.4301 / 1.4571 / 1.4404 + Sonderwerkstoffe

Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
20x10	1,00	0,450
	1,20	0,535
	1,50	0,660
25x15	1,20	0,715
	1,50	0,883
	2,00	1,159
30x10	1,00	0,670
	1,50	0,883
30x15	1,20	0,805
	1,50	0,995
	2,00	1,302
30x20	1,00	0,771
	1,20	0,917
	1,50	1,146
	2,00	1,475
35x20	1,50	1,258
	2,00	1,653
40x10	1,50	1,146
	2,00	1,495
40x15	1,50	1,259
	2,00	1,654
40x20	1,00	0,931
	1,20	1,108
40x25	1,50	1,371
	1,50	1,531
	1,50	1,531
40x30	1,20	1,310
	1,50	1,612
	2,00	2,115
	3,00	3,124
50x10	1,50	1,371
	2,00	1,840
50x15	1,50	1,536
	1,50	1,536
50x20	1,50	1,620
	2,00	2,150
	2,00	2,150
50x25	1,20	1,398
	1,50	1,734
	2,00	2,275
50x30	1,20	1,494
	1,50	1,852
	2,00	2,434
	3,00	3,562
50x40	1,50	2,090
	2,00	2,756
	3,00	4,131
60x10	1,50	1,620
	2,00	2,150
60x20	1,50	1,852
	2,00	2,434
	2,00	2,434
60x30	2,00	2,756
	2,00	2,756

Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
60x30	3,00	4,040
	3,00	4,040
60x40	1,50	2,332
	2,50	3,805
	3,00	4,533
	4,00	5,997
	4,00	5,997
70x40	2,00	3,455
	3,00	5,038
80x10	1,50	2,122
	2,00	2,804
80x20	2,00	2,434
	2,00	2,434
80x30	3,00	5,070
	3,00	5,070
80x40	1,50	2,802
	2,00	3,724
	2,50	4,612
	3,00	5,494
	4,00	7,267
	5,00	8,902
	5,00	8,902
80x50	2,00	4,156
	3,00	5,952
	5,00	10,100
80x60	1,50	3,302
	2,00	4,379
	3,00	6,494
	4,00	8,504
	5,00	10,629
100x40	2,00	4,379
	2,50	5,443
	3,00	6,494
	4,00	8,384
	5,00	10,690
100x50	2,00	4,684
	4,00	9,268
	5,00	10,800
	6,00	14,600
100x60	2,00	5,040
	2,50	6,140
	3,00	7,484
	4,00	9,878
	5,00	12,348
	6,00	14,600
	6,00	14,600
	6,00	14,600
100x80	2,00	5,642
	3,00	8,304
	4,00	10,944
	5,00	13,200
120x40	2,00	5,040
	3,00	7,484
	4,00	9,664
	5,00	12,395
120x60	2,00	5,642
	2,00	5,642

# Vierkant- und Rechteckrohre

## Rechteckrohre HL 6 m



**Norm:** ähnlich DIN EN 10305 (vormals ähnlich DIN 2395)

**Abnahmen/Zeugnisse:** EN 10204/3.1B

**Werkstoff-Nr.:** 1.4301 / 1.4571 / 1.4404 + Sonderwerkstoffe

Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
120x60	3,00	8,387
	5,00	13,684
	6,00	15,400
120x80	2,00	6,279
	3,00	9,343
	4,00	12,356
	5,00	15,624
140x80	3,00	10,224
	4,00	13,504
	5,00	16,400
150x50	2,00	6,400
	3,00	9,525
	4,00	12,224
	5,00	14,800
150x80	3,00	10,704
	4,00	14,222
	5,00	17,653
150x100	3,00	11,241
	4,00	15,424
	5,00	18,800
	6,00	22,560
	8,00	27,900
	10,00	33,600

Abmessungen		Gewicht KG/M
ø- Aussen	Wandstärke	
160x80	3,00	11,184
	4,00	14,784
	5,00	18,000
200x50	3,00	11,664
	5,00	19,040
200x100	3,00	14,064
	4,00	18,624
	5,00	22,800
	6,00	27,360
200x150	8,00	34,300
	10,00	41,600
200x150	4,00	21,400
	10,00	49,600
250x100	3,00	16,200
	4,00	21,400
	5,00	27,100
	6,00	32,590
250x100	8,00	40,700
250x150	3,00	18,864
	4,00	25,024
	5,00	30,960
	8,00	47,100
300x100	3,00	18,864
	5,00	30,800

Andere Abmessungen oder Werkstoffe auf Anfrage.

Industriestraße 3 76470 Ötigheim Tel. 0 72 22 / 92 88 -12/18 Fax 0 72 22 / 92 88 -80  
e-mail: [info@edelstahlhandel-oetigheim.de](mailto:info@edelstahlhandel-oetigheim.de)