

Anschweißnippel



Norm: EN 10241 / DIN 2982 / DIN 2999
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Zoll	Länge
1/8"	30,000
1/4"	30,000
3/8"	35,000
1/2"	40,000
3/4"	40,000
1"	45,000

Zoll	Länge
1 1/4"	50,000
1 1/2"	50,000
2"	50,000
2 1/2"	60,000
3"	70,000
4"	80,000

Rohrnippel



Norm: DIN 2982 / DIN 2999
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Zoll	Länge
1/8"	16
1/4"	18
3/8"	22
1/2"	25
3/4"	30
1"	35

Zoll	Länge
1 1/4"	38
1 1/2"	38
2"	45
2 1/2"	55
3"	60
4"	70

Rohrdoppelnippel



Norm: DIN 2982 / EN 10241 / DIN 2999
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Zoll	Länge
1/8"	40
1/4"	40
3/8"	40
1/2"	60
3/4"	60
1"	60

Zoll	Länge
1 1/4"	80
1 1/2"	80
2"	100
2 1/2"	100
3"	100
4"	120

Muffen



Norm: DIN 2986 / EN 10241 / ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Zoll	Länge
1/8"	17
1/4"	25
3/8"	26
1/2"	34
3/4"	36
1"	43

Zoll	Länge
1 1/4"	48
1 1/2"	48
2"	56
2 1/2"	65
3"	71
4"	83

Halbe Muffen



Norm: ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Zoll	Länge
1/8"	10
1/4"	10
3/8"	12
1/2"	15
3/4"	17
1"	20

Zoll	Länge
1 1/4"	20
1 1/2"	21
2"	27
2 1/2"	30
3"	33
4"	44

Reduziermuffen



Norm: ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/4" x 1/8"
3/8" x 1/8"
3/8" x 1/4"
1/2" x 1/8"
1/2" x 1/8"
1/2" x 1/4"
1/2" x 3/8"
3/4" x 1/8"
3/4" x 1/4"
3/4" x 3/8"
3/4" x 1/2"
1" x 1/4"
1" x 3/8"

Abmessungen Zoll
1" x 1/2"
1" x 3/4"
1 1/4" x 3/8"
1 1/4" x 1/2"
1 1/4" x 3/4"
1 1/4" x 1"
1 1/2" x 1/2"
1 1/2" x 3/4"
1 1/2" x 1"
1 1/2" x 1 1/4"
2" x 3/4"
2" x 1"
2" x 1 1/4"

Abmessungen Zoll
2" x 1 1/2"
2 1/2" x 1"
2 1/2" x 1 1/4"
2 1/2" x 1 1/2"
2 1/2" x 2"
3" x 1 1/4"
3" x 1 1/2"
3" x 2"
3" x 2 1/2"
4" x 1 1/2"
4" x 2"
4" x 2 1/2"
4" x 3"

Gewindefittings

6kt. Doppelnippel



Norm: DIN 2990 / DIN 2999
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

6kt. Reduziernippel



Norm: DIN 2990 / DIN 2999
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/4" x 1/8"
3/8" x 1/8"
3/8" x 1/4"
1/2" x 1/8"
1/2" x 1/8"
1/2" x 1/4"
1/2" x 3/8"
3/4" x 1/8"
3/4" x 1/4"
3/4" x 3/8"
3/4" x 1/2"
1" x 1/4"
1" x 3/8"

Abmessungen Zoll
1" x 1/2"
1" x 3/4"
1 1/4" x 3/8"
1 1/4" x 1/2"
1 1/4" x 3/4"
1 1/4" x 1"
1 1/2" x 1/2"
1 1/2" x 3/4"
1 1/2" x 1"
1 1/2" x 1 1/4"
2" x 3/4"
2" x 1"
2" x 1 1/4"

Abmessungen Zoll
2" x 1 1/2"
2 1/2" x 1"
2 1/2" x 1 1/4"
2 1/2" x 1 1/2"
2 1/2" x 2"
3" x 1 1/4"
3" x 1 1/2"
3" x 2"
3" x 2 1/2"
4" x 1 1/2"
4" x 2"
4" x 2 1/2"
4" x 3"

6kt. Reduzierstück (IG/AG)



Norm: DIN 2990 / DIN 2999 / ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/4" x 1/8"
3/8" x 1/8"
3/8" x 1/4"
1/2" x 1/8"
1/2" x 1/4"
1/2" x 3/8"
3/4" x 1/8"
3/4" x 1/4"
3/4" x 3/8"
3/4" x 1/2"
1" x 1/4"
1" x 3/8"
1" x 1/2"

Abmessungen Zoll
1" x 3/4"
1 1/4" x 3/8"
1 1/4" x 1/2"
1 1/4" x 3/4"
1 1/4" x 1"
1 1/2" x 1/2"
1 1/2" x 3/4"
1 1/2" x 1"
1 1/2" x 1 1/4"
2" x 3/4"
2" x 1"
2" x 1 1/4"
2" x 1 1/2"

Abmessungen Zoll
2 1/2" x 1"
2 1/2" x 1 1/4"
2 1/2" x 1 1/2"
2 1/2" x 2"
3" x 1 1/4"
3" x 1 1/2"
3" x 2"
3" x 2 1/2"
4" x 1 1/2"
4" x 2"
4" x 2 1/2"
4" x 3"

Winkel 90° IG/IG



Norm: DIN 2987 / ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

Winkel 90° IG/AG



Norm: DIN 2987 / DIN 2999 / ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

Winkel 45° IG/IG



Norm: DIN 2987 / ISO 228-1
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

6kt. Kappen



Norm: DIN 2991 / ISO 228-1
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

6kt. Stopfen



Norm: DIN 2991 / DIN 2999
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

4kt. Stopfen



Norm: DIN 2991 / DIN 2999
Abnahmen/Zugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

6kt. Muttern



Norm: DIN 431
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"
1"

Abmessungen Zoll
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

Schlauchtüllen



Norm: Keine
Abnahmen/Zeugnisse: EN 10204/3.1B
Werkstoff-Nr.: 1.4436/V4A / 1.4541 / 1.4571

Abmessungen Zoll
1/8"
1/4"
3/8"
1/2"
3/4"

Abmessungen Zoll
1"
1 1/4"
1 1/2"
2"

Andere Abmessungen oder Werkstoffe auf Anfrage.

Industriestraße 3 76470 Ötigheim Tel. 0 72 22 / 92 88 -12/18 Fax 0 72 22 / 92 88 -80
 e-mail: info@edelstahlhandel-oetigheim.de